
CERTIFICATE OF ANALYSIS

Product Name	Antimicrobial peptide,Cecropin C1/C2, Cat.#: 302615
Lot No.	GTA34540-3-0916
Sequence	GGLKKLGGKLEGAGKRVFNAAEKALPVVAGAKALGK
Dissolution condition	100%H2O
Length	36AA
Modification	N/A
Molecular Weight (MW)	3576.28
Storage	-20°C

Test Items	Specifications	Results
MW by MS	3576.60	Conforms
Purity by HPLC	>95%	97.796%
Peptide Content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	20mg	5.0mg*4

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department

Oct/11/2022




Sample Information

Order ID :GTA34540-3
 Name :Antimicrobial peptide, Cecropin C1/C2
 Sequence :GGLKKLGGKLEGAGKRVFNAAEKALPVVAGAKALGK
 Lot. No :GTA34540-3-0916
 Pump A :0.1% Trifluoroacetic in 100% water
 Pump B :0.1% Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :YMC-Triart C18(4.6*250mm*5um)
 Dissolution method :100% H2O
 Inj. Volume : 25ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	20
30.00	Pumps	B.Conc	50
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	20
50.00	Controller	Stop	


Chromatogram



Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	16.494	104551	10108	1.052
2	16.908	9717908	814984	97.796
3	17.196	92466	9720	0.931
4	18.922	17468	458	0.176
5	25.477	4528	364	0.046
Total		9936920	835635	100.000



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2022/10/11 09:29:43	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% MEOH

Order ID	:GTA34540-3
Name	:Antimicrobial peptide, Cecropin C1/C2
Sequence	:GGLKKLGKKLEGAGKRVFNAAEKALPVVAGAKALGK
Lot.No	:GTA34540-3-0916
Theoretical	:3576.28
Observed	:3576.60