

CERTIFICATE OF ANALYSIS

Product Name	Cys-KR12 peptide, Cat.#: 319765 (TFA removed)
Lot No.	MTFA32865-250526
Sequence	CKRIVKRIKKWLR (Acetate Salt)
Dissolution condition	100%H ₂ O
Length	13AA
Modification	acetate salt
Molecular Weight (MW)	1727.23
Storage	-20°C

Test Items	Specifications	Results
MW by MS	1727.60	Conforms
Purity by HPLC	>95%	95.057%
Peptide content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	50 mg	5.0mg*10

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Jun/30/2025


Quality Assurance Department



Sample Information

Order ID	:MTFA32865		
Name	:Cys-KR12 peptide (TFA removed)		
Sequence	:CKRIVKRIKKWLR (Acetate Salt)		
Lot. No	:MTFA32865-250526		
Pump A	:0.1%Trifluoroacetic in 100% water		
Pump B	:0.1%Trifluoroacetic in 100% acetonitrile		
Total Flow	:1ml/min		
Wavelength	:214nm		
Analytical column type	:Kromasil 100-5-C18 (4.6*250mm*5 µm)		
Dissolution method	:100%H ₂ O		
Inj. Volume	: 25ul		
Time	Module	Action	Value
0.01	Pumps	B.Conc	15
30.00	Pumps	B.Conc	45
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	15
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	11.102	14387	2196	0.051
2	12.230	23702	4043	0.084
3	12.685	26712356	2148025	95.057
4	13.344	21804	1663	0.078
5	13.619	1329295	214723	4.730
Total		28101544	2370650	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2025/06/09 13:44:22	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% ME OH
Order ID	:MTFA32865				
Name	:Cys-KR12 peptide (TFA removed)				
Sequence	:CKRIVKRIKKWLR (Acetate Salt)				
Lot.No	:MTFA32865-250526				
Theoretical	:1727.23				
Observed	:1727.60				