


CERTIFICATE OF ANALYSIS

Product Name	FOXO4-DRI peptide, Cat.#: 318716 (TFA removed)
Lot No.	MTFA32722-0421
Sequence	Itlrkpeaseiaqsileaysqngwanrrsggkrpppprrrrqrkkrg (Acetate Salt)
Dissolution condition	100%H ₂ O
Length	46AA
Modification	acetate salt
Molecular Weight (MW)	5358.05
Storage	-20°C

Test Items	Specifications	Results
MW by MS	5358.85	Conforms
Purity by HPLC	>95%	95.175%
TFA content	N/A	N/A
Endotoxin content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	500mg	5.0mg*100

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by: 
Quality Assurance Department

Apr/27/2025




Sample Information

Order ID :MTFA32722
 Name :FOXO4-DRI
 Sequence :ltlrkepaseiaqsileaysqngwanrrsggkrppprrrqrkrg (Acetate Salt)
 Lot. No :MTFA32722-0421
 Pump A :0.1%Trifluoroacetic in 100% water
 Pump B :0.1%Trifluoroacetic in 100% acetonitrile
 Total Flow :1ml/min
 Wavelength :214nm
 Analytical column type :Kromasil 100-5-C18 (4.6*250mm*5 µm)
 Dissolution method :100%H₂O
 Inj. Volume : 20ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	20
30.00	Pumps	B.Conc	50
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	20
50.00	Controller	Stop	

Chromatogram

mV




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	11.713	203248	10823	0.848
2	12.240	22816243	1287447	95.175
3	12.929	953375	37011	3.977
Total		23972866	1335281	100.000

MS Spectrum



Sample Information

Dissolution method	:15% ACN+85% H ₂ O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2025/04/22 16:30:08	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H ₂ O/50% ME OH

Order ID	:MTFA32722
Name	:FOXO4-DRI
Sequence	:ltlrkaseiaqsileaysqngwanrrsggkrppprrrrkrkrg (Acetate Salt)
Lot.No	:MTFA32722-0421
Theoretical	:5358.05
Observed	:5358.85