

## CERTIFICATE OF ANALYSIS

<b>Product Name</b>	GnRH (Triptorelin) peptide (Cat.# 300017)
<b>Lot No.</b>	GTA34859-0103
<b>Sequence</b>	pGlu-HWSYwLRPG-NH2
<b>Dissolution condition</b>	100%H2O
<b>Length</b>	10AA
<b>Modification</b>	pGlu=Pyroglutamic acid; w=D-Trp
<b>Molecular Weight (MW)</b>	1311.46
<b>Storage</b>	-20°C

Test Items	Specifications	Results
<b>MW by MS</b>	1311.30	Conforms
<b>Purity by HPLC</b>	>95%	96.067%
<b>Peptide Content</b>	N/A	N/A
<b>Moisture content</b>	N/A	N/A
<b>Acetic acid content</b>	N/A	N/A
<b>Appearance</b>	White to off-white lyophilized powder	Conforms
<b>Quantity</b>	10mg	5.0mg*2

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department

Jan/11/2023




### Sample Information

Order ID :GTA34859  
 Name :N/A  
 Sequence :pGlu-HWSYwLRPG-NH2  
 Lot. No :GTA34859-0103  
 Pump A :0.1% Trifluoroacetic in 100% water  
 Pump B :0.1% Trifluoroacetic in 100% acetonitrile  
 Total Flow :1ml/min  
 Wavelength :214nm  
 Analytical column type :YMC-Triart C18(4.6\*250mm\*5um)  
 Dissolution method :100% H2O  
 Inj. Volume : 25ul

Time	Module	Action	Value
0.01	Pumps	B.Conc	25
30.00	Pumps	B.Conc	55
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	25
50.00	Controller	Stop	

### Chromatogram

mV




### Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	11.115	962320	63763	3.195
2	11.880	28931947	1678323	96.067
3	12.478	222120	16599	0.738
Total		30116387	1758685	100.000

## MS Spectrum



## Sample Information

Dissolution method	:15% ACN+85% H <sub>2</sub> O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2023/01/10 14:50:21	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50% H <sub>2</sub> O/50% MEOH

Order ID	:GTA34859
Name	:N/A
Sequence	:pGlu-HWSYwLRPG-NH <sub>2</sub>
Lot.No	:GTA34859-0103
Theoretical	:1311.46
Observed	:1311.30