


CERTIFICATE OF ANALYSIS

Product Name	SIINFEEKL peptide, Cat.#: 319367 (TFA removed)
Lot No.	MTFA32020-1029
Sequence	SIINFEEKL (Acetate Salt)
Dissolution condition	100%H ₂ O
Length	AA
Modification	acetate salt
Molecular Weight (MW)	963.14
Storage	-20°C

Test Items	Specifications	Results
MW by MS	963.10	Conforms
Purity by HPLC	>95%	98.229%
Peptide content	N/A	N/A
Moisture content	N/A	N/A
Acetic acid content	N/A	N/A
Appearance	White to off-white lyophilized powder	Conforms
Quantity	50mg	5.0mg*10

NovoPro Bioscience Inc. (hereafter NovoPro) warrants material of said quality at the time of sale. It is the sole responsibility of the customers to determine the adequacy of all materials for any intended or specific purpose or use. NovoPro's sole obligation is to replace the material up to the extent of the purchase price. This warranty applies only to products in original packaging and does not apply to a product which has been tampered with or altered in any way in or which has been misused or damaged by accident or negligence. All claims must be received writing (by fax or email) within 30 days from date when product arrive at the destination city and failure to do so shall constitute a waiver by customers for any and all such claims.

Certified by:



Quality Assurance Department


Nov/01/2024



Sample Information

Order ID	:MTFA32020		
Name	:SIINFEKL peptide		
Sequence	:SIINFEKL (Acetate Salt)		
Lot. No	:MTFA32020-1029		
Pump A	:0.1%Trifluoroacetic in 100% water		
Pump B	:0.1%Trifluoroacetic in 100% acetonitrile		
Total Flow	:1ml/min		
Wavelength	:214nm		
Analytical column type	:Kromasil 100-5-C18 (4.6*250mm*5 μm)		
Dissolution method	:100%H2O		
Inj. Volume	: 25ul		
Time	Module	Action	Value
0.01	Pumps	B.Conc	20
30.00	Pumps	B.Conc	50
33.00	Pumps	B.Conc	100
38.00	Pumps	B.Conc	100
40.00	Pumps	B.Conc	20
50.00	Controller	Stop	

Chromatogram




Peak Table

Detector A 214nm

Peak#	Ret. Time	Area	Height	Area%
1	9.961	1855	266	0.034
2	15.086	1448	222	0.026
3	15.649	5386774	565942	98.229
4	16.325	85171	12353	1.553
5	17.397	3160	477	0.058
6	17.813	5513	679	0.101
Total		5483920	579938	100.000

MS Spectrum



Sample Information

Dissolution method	:15%ACN+85%H2O	Interface	:ESI	Prerod Bias	:+4.5kv
Date Acquired	:2024/10/31 13:56:22	Nebulizing Gas Flow	:1.50L/min	Detector	:-0.2kv
Injection Volume	:0.2ul	CDL Temp	:250°C	T.Flow	:0.2ml/min
Block Temp	:200	CDL Volt	:0v	B.conc	:50%H2O/50%MEOH
Order ID	:MTFA32020				
Name	:SIINFEKL peptide				
Sequence	:SIINFEKL (Acetate Salt)				
Lot.No	:MTFA32020-1029				
Theoretical	:963.14				
Observed	:963.10				