

# CERTIFICATE OF ANALYSIS

| | | | |
|---|---|---|---|
| **Vector Name** | pBAC-3 | **Catalog No.** | V011671 |
| **Project/Lot No.** | G0286731-1/Y40475 | **Strain** | Top10 |
| **Quantity** | 100ug | **Resistance** | Amp |

## QC Results

| Test Items | Specifications | Results |
|---|---|---|
| **Insert Sequence** | Insert sequence results consistent with target | Pass |
| **Vector Sequence** | Flanking sequence consistent with expected | Pass |
| **ORF Across Junction** | Correct and consistent with target | N/A |
| **Restriction Digest** | Expected fragment sizes observed | Pass |
| **PCR Amplification** | Correct without non - specific bands | Pass |
| **DNA Quantity/Quality** | Actual yield (by A 260) | 5ug/5ug |
| | Concentration (n/a if lyophilized) | N/A |
| | Purity (A 260/A280 = 1.8 - 2.0) | Pass |
| | # of Tubes | 2 |
| | Matrix | TE (lyophilized) |
| **Endotoxin Test** | Verified, <0.1 EU/μg (Endo-Free Preps Only) | N/A |
| **Appearance** | Clear, no visible particles | Pass |
| **Label** | Correct and white | Pass |
| **Comments** | - | - |

## Restriction Digestion Map

| | 1 | 2 | M | |
|---|---|---|---|---|
|  |  | | | **Lane 1:** Plasmid<br>**Lane 2**: Plasmid Digested with MluI-XhoI<br>**Lane M**: DNA Marker |



**Certified by: Chou Fang**

**Date: Aug/31/2023**

**Valid until: Aug/31/2026**

CONFIDENTIAL