CERTIFICATE OF ANALYSIS

Vector Name	pDIVA	**Catalog No.**	V007992
Project/Lot No.	G0398025-1/ YLH84113	**Strain**	EPI300
Quantity	100ug	**Resistance**	Kanamycin

QC Results

Test Items	Specifications	Results
Insert Sequence	Insert sequence results consistent with target	Pass
Vector Sequence	Flanking sequence consistent with expected	Pass
ORF Across Junction	Correct and consistent with target	N/A
Restriction Digest	Expected fragment sizes observed	Pass
PCR Amplification	Correct without non - specific bands	Pass
DNA Quantity/Quality	Concentration (n/a if lyophilized)	N/A
Genomic DNA	Purity (A 260/A280 = 1.8 - 2.0)	Pass
Restriction Analysis	Matrix	TE (lyophilized)
Endotoxin Test	Verified, <0.1 EU/μg (Endo-Free Preps Only)	N/A
Appearance	Clear, no visible particles	Pass
Label	Correct and white	Pass
Comments	-	-

Restriction Digestion Map



Lane 1： Plasmid

Lane 2: Plasmid Digested with XbaI-HindIII (777/3534 bp in theory)

Lane M: DNA Marker

Certified by: Chou Fang
Date: Jan/29/2026
Valid until: Jan/29/2029

CONFIDENTIAL