

CERTIFICATE OF ANALYSIS			
Vector Name	pESC-HIS	Catalog No.	V010322
Project/Lot No.	G0220784-1/E23858	Strain	JM108
Quantity	100ug	Resistance	Ampicillin
QC Results			
Test Items	Specifications		Results
Appearance	Clear, no visible particles		Pass
Concentration	On request, default		Pass
A260/280	1.8 - 2.0		Pass
A260/230	>2.0		Pass
Supercoiled content	No request		N/A
Residual RNA	Not visible upon electrophoresis		Pass
Genomic DNA	Not visible upon electrophoresis		Pass
Restriction Analysis	Conforms to reference		Pass
Bioburden assay	No growth on agar plate after 24 hours		N/A
Endotoxin Test	Verified, (Endo-Free Preps Only)		N/A
Label	Correct and white		Pass
Sequencing	Correct	Correct	
Comments	-		-
Restriction Digestion Map			
	1 2 M		
<u>ьр</u> — 12000 — 8000	Lane 1: Plasmid DNA  Lane 2: Plasmid digested by Pvull		
6000 5000 	(5,349 bp+1,357 bp in theory)		
— 2000 — <b>1500</b> — 1000	Lane M: DNA Marker		
— 750 — 500			

Certified by: Chou Fang

Date: <u>Apr/25/2024</u>

Valid until: Apr/25/2026