


Certificate of Analysis			
Vector Name	pESC-URA	Catalog No.	V010319
Project/Lot No.	G0297656-1/D57807	Strain	Stbl3
Quantity	100ug	Resistance	Ampicillin
QC Results			
Test Items	Specifications	Results	
Appearance	Clear, no visible particles	Pass	
Concentration	On request, default 1ug/uL	Pass	
A260/280	1.8 - 2.0	Pass	
A260/230	>2.0	Pass	
Supercoiled content	No request	N/A	
Residual RNA	Not visible upon electrophoresis	Pass	
Genomic DNA	Not visible upon electrophoresis	Pass	
Restriction Analysis	Conforms to reference	Pass	
Bioburden assay	No growth on agar plate after 24 hours	N/A	
Endotoxin Test	Verified, (Endo-Free Preps Only)	N/A	
Label	Correct and white	Pass	
Sequencing	Correct	Pass	
Comments	-	-	
Restriction Digestion Map			
	1	2	M
	<p><b>Lane1:</b>Plasmid DNA</p> <p><b>Lane2:</b>Plasmid digested by PvuII (5,274 bp + 1,357 bp in theory)</p> <p><b>Lane M:</b> DNA Marker</p>		

周  
昉

Certified by: Chou Fang

Date: Nov/25/2023

Valid until: Nov/25/2025