

Certificate of Analysis

Gene Name	pHRW40	**Order No.**	V014683
Lot No.	G0332111-2/E92696	**Strain**	stbl3
Quantity	100ug	**Quality grade**	Ampicillin

QC Results

Test Items	Specifications	Results
Appearance	Clear, no visible particles	Pass
Concentration	The error range is within 5%	Pass
A260/280	1.8 - 2.0	Pass
A260/230	>2.0	Pass
Supercoiled content	No request	N/A
Residual RNA	Not visible upon electrophoresis	Pass
Genomic DNA	Not visible upon electrophoresis	Pass
Restriction Analysis	Conforms to reference	Pass
Bioburden assay	No growth on agar plate after 24 hours	N/A
Endotoxin Test	Verified, (Endo-Free Preps Only)	N/A
Label	Correct and white	Pass
Sequencing	Correct	Pass
Comments	-	-

Restriction Digestion Map

Marker	1	2	M	Description of Map
				**Lane1**: Plasmid DNA **Lane2**: Plasmid digested by XbaI-EcoRV (7,872 bp + 3,346 bp in theory) **Lane M**: DNA Marker

CONFIDENTIAL

Certified by: Chou Fang 周昉

Date: Aug/27/2024

Valid until: Aug/27/2027