CERTIFICATE OF ANALYSIS

Gene Name	pLVX-CMV-IRES-RFP-Puro	**Catalog No.**	V013328
Lot No.	20250821/25-1-YLD36146	**Quantity**	100ug
Competence	Top10	**Resistance**	Ampicillin

QC Results

Test Items	Specifications	Results
Insert Sequence	Insert sequence results consistent with target	Pass
Vector Sequence	Flanking sequence consistent with expected	Pass
ORF Across Junction	Correct and consistent with target	N/A
Restriction Digest	Expected fragment sizes observed	Pass
PCR Amplification	Correct without non - specific bands	Pass
DNA Quantity/Quality	Concentration (n/a if lyophilized)	N/A
	Purity (A 260/A280 = 1.8 - 2.0)	Pass
	Matrix	TE (lyophilized)
Endotoxin Test	Verified, <0.1 EU/μg (Endo-Free Preps Only)	N/A
Appearance	Clear, no visible particles	Pass
Label	Correct and white	Pass
Comments	-	-

Restriction Digestion Map

Marker	1	2	M	Description of Map
				**Lane 1：** Plasmid **Lane 2**: Plasmid Digested with MluI-XhoI (1933/6900 bp in theory) **Lane M**: DNA Marker

Certified by: Chou Fang
Date: Aug/22/2025
Valid until: Aug/22/2028

CONFIDENTIAL