pKDsgRNA-ack

载体编号 Vector ID	V006986
抗性 Antibiotic Resistance	Spectinomycin
长度 Length	6928 bp
载体类型 Vector Type	Bacterial Expression

产品信息

复制子 Replication Origin	pSC101 ori
来源 Source/Author	Kristala Prather
拷贝数 Copy Number	Low Copy
启动子 Promoter	araBAD
培养菌株 Growth Strain(s)	DH5alpha
培养温度 Growth Temperature	30℃
备注 Comment	Arabinose inducible lambda red and anhydrotetracycline inducible sgRNA expression. It may take about 20 hours to grow. Rep101(Ts) is a temperature-sensitive replication protein that functions only at low temperatures. Above 37°C, it becomes inactive, causing plasmid loss. Stable replication occurs at 30°C, >16 hours (or lower, e.g., 28–30°C). Please do not exceed 32°C.

质粒图谱



复溶方法

1. Centrifuge at 5,000×g for 5 min.
2. Carefully open the tube and add sterile water to dissolve the DNA: add 20 µl for 5 µg plasmid, and 100 µl for 100 µg plasmid.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than 5000×g.
5. Store the plasmid at -20 ℃.