
UCOE Mu-H

载体编号 Vector ID	V013488
抗性 Antibiotic Resistance	Ampicillin
长度 Length	8182 bp
载体类型 Vector Type	Protein expression
宿主 Host	Mammalian cells

产品信息

复制子 Replication Origin	ori
筛选标记 Selection Marker	Hyg
启动子 Promoter	CMV
培养菌株 Growth Strain(s)	DH10B
培养温度 Growth Temperature	37℃
备注 Comment	Ubiquitous Chromatin Opening Element (UCOE) technology significantly enhances gene expression in stably transfected mammalian cells by modulating chromatin structure. Derived from small DNA elements near housekeeping genes, UCOEs create a transcriptionally active open chromatin environment around the integrated transgene. This prevents transgene silencing and enables consistent, stable, and high-level gene expression regardless of the transgene's chromosomal integration site.

质粒图谱



复溶方法

1. Centrifuge at 5,000×g for 5 min.
2. Carefully open the tube and add sterile water to dissolve the DNA: add 20 µl for 5 µg plasmid, and 100 µl for 100 µg plasmid.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin to concentrate the liquid at the bottom. Speed is less than 5000×g.
5. Store the plasmid at -20 ℃.